**Data sheet** 

# HP LaserJet Managed MFP E72525



# Premium quality, maximum uptime, and the strongest security<sup>,</sup> from a smart, streamlined MFP.

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.<sup>1</sup>



HP LaserJet Managed MFP E72525dn



#### HP LaserJet Managed Flow MFP E72525z

\*Purchase of optional paper trays and output accessory availability varied by device

#### High quality, low cost

- Print premium, professional-quality documents with sharp text and crisp graphics for a low cost.
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

#### Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network folders. $^{\scriptscriptstyle 2}$
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast up to 25 ppm.<sup>3</sup>

#### The world's most secure printing<sup>1</sup>

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on your MFP and in transit over the network—store data on the encrypted hard disk.<sup>4</sup>
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

#### Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 250 pages into the automatic document feeder for fast, unattended scanning.(For Z models only)

### **Product walkaround**

- 1. 250-sheet automatic document feeder supports media up to 11 x 17 inches (A3)<sup>1</sup>
- 2. Flatbed scanner handles sheets up to 11.7 x 17 inches (297 x 432 mm)
- 3. 8.0 inch (20.3 cm) color touchscreen control panel tilts up for easier viewing
- 4. Pull-out keyboard
- 5. Right door (access to the print path)
- 6. 100-sheet multipurpose tray 1 supports media up to 11 x 17 inches (A3)
- 7. Front door access to toner cartridges
- 8. Hardware Integration Pocket (for connecting accessory and third-party devices)<sup>2</sup>
- 9. Easy-access USB port<sup>3</sup>
- 10.500-sheet output bin
- 11. Automatic two-sided printing
- 12. HP Secure High-Performance Hard Disk
- 13. 520-sheet tray 2 supports media up to letter (A4)
- 14. 520-sheet tray 3 supports media up to 11 x 17 (A3)
- 15. Slot for cable-type security lock
- 16. 2 Hi-Speed USB 2.0 Host ports
- 17. Gigabit Ethernet port
- 18. Hi-Speed USB 2.0 Device port



HP LaserJet Managed Flow MFP E72525z



## Series at a glance





Model	HP Laser Jet Managed MFP E72525dn	HP LaserJet Managed Flow MFP E72525z
Product number	Z8Z06A	Z8Z07A
Functions	Print, copy, and scan (fax and wireless optional)	Same as E72525dn
Print speed₄	Up to 25 pages per minute (ppm), letter and A4	Same as E72525dn
ADF capacity	100 sheets, supports media up to 11 x 17 inches (A3)	250 sheets, supports media up to 11 x 17 inches (A3)
Scan speeds (black and color) <sup>5</sup>	Simplex/duplex: 80 ipm/160 ipm (letter and A4)	Simplex/duplex: 120 ipm/240 ipm (letter and A4)
Advanced workflow features	Send to Microsoft <sup>®</sup> SharePoint <sup>®</sup>	Same as E72525dn, plus: HP EveryPage technology, pull-out keyboard, auto-tone, auto orientation, auto-page-crop, embedded OCR
Optional input accessories	2 x 520-sheet Paper Feeder, 2,000-sheet HCI Feeder, Printer Cabinet	Same as E72525dn
Optional output accessories	Stapler/Stacker, Inner Finisher, Hole Punch (2/3, 2/4, and Swedish), Booklet Maker	Same as E72525dn

### **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

# Optimized Care (optimum performance and stability:

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

#### Standard Care (high level of uptime:

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

## Basic Care (minimum recommended support:

Next Business Day Onsite Support

#### 4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

#### **Next Business Day Onsite Support:**

Onsite service the next business day after the service call is received

#### Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

# Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices







Care Pack



Quality printing for a great value is a smart choice for any business. Produce premium, professional-quality documents at a competitive low cost with an HP LaserJet MFP built to make your work—and your business—look its best.

Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can count on reliable results day in and day out.

Only HP Enterprise printers repair themselves from attacks in real time, with built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP.<sup>1</sup>

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 180 ipm<sup>5</sup>—and avoid extra steps with a Flow MFP designed for maximum productivity.

#### Product

Z8Z06A HP LaserJet Managed MFP E72525dnZ8Z07A HP LaserJet Managed Flow MFP E72525z

#### Accessories

B5L29A	HP High-Performance Secure Hard Disk	
CC487A	HP LaserJet MFP Analog Fax Accessory 500	
Y1F97A	HP LaserJet Dual Cassette Workgroup Feeder	
Y1F99A	HP LaserJet 2000-sheet HCI Input Tray	
Y1G02A	HP LaserJet Inner Finisher Hole 2/3 Punch	
Y1G03A	HP LaserJet Inner Finisher Hole 2/4 Punch	
Y1G04A	HP LaserJet Inner Finisher Swedish Punch	
Y1G07A	HP LaserJet Booklet Finisher	
Y1G12A	HP LaserJet Hole Punch Swedish Accessory	
Y1G22A	HP LaserJet Paper Tray Heaters Accessory	

#### Supplies

**W9005MC** HP W9005MC Black Managed Laser Jet Toner (48,000 pages)

W9006MC HP W9006MC Black Managed LaserJet Imaging Drum (200,000 pages)

W9007MC	HP W9007MC Manad	red Laser let Tone	r Collection Unit	(100.000 pages)

#### **HP Care Packs**

U9LU4E U9LU5E U9LU6E U9LU7E U9LU8E U9LU8E U9LU9E	HP 1 year Next Business Day Svc w/Defective Media Retention for LaserJet E725xx MFP Managed HP 3 year Next Business Day Svc w/Defective Media Retention for LaserJet E725xx MFP Managed HP 4 year Next Business Day Svc w/Defective Media Retention for LaserJet E725xx MFP Managed HP 5 year Next Business Day Svc w/Defective Media Retention for LaserJet E725xx MFP Managed HP 3 year 4 hour 9x5 Svc w/Defective Media Retention for LaserJet E725xx MFP Managed HP 4 year 4 hour 9x5 Svc w/Defective Media Retention for LaserJet E725xx MFP Managed
U9LV0E U9LV1E U9LV2E U9LV3E U9LV4E U9LV5PE	HP 4 year 4 hour 9x5 Svc w/Defective Media Retention for LaserJet E725xx MFP Managed HP 5 year 4 hour 9x5 Svc w/Defective Media Retention for LaserJet E725xx MFP Managed HP 1 year Next Business Day Parts Exchange Svc for LaserJet E725xx MFP Managed (Channel Only) HP 3 year Next Business Day Parts Exchange Svc for LaserJet E725xx MFP Managed (Channel Only) HP 4 year Next Business Day Parts Exchange Svc for LaserJet E725xx MFP Managed (Channel Only) HP 5 year Next Business Day Parts Exchange Svc for LaserJet E725xx MFP Managed (Channel Only) HP 5 year Next Business Day Parts Exchange Svc for LaserJet E725xx MFP Managed (Channel Only) HP 1 year Post Warranty NBD Svc w/Defective Media Retention for LaserJet E725xx MFP Managed
U9LV6PE U9LV7PE	HP 2 year Post Warranty NBD Svc w/Defective Media Retention for LaserJet E725xx MFP Managed HP 1 year Post Wty 4 hour 9x5 Svc w/Defective Media Retention for Laseret E725xx MFP Managed

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

#### Paper

Contact HP via phone: Asia: 65 6253 8500

#### Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

## HP LaserJet Managed MFP E72525

Model	HP LaserJet Managed MFP E72525dn	HP LaserJet Managed Flow MFP E72525z	
Product number	Z8Z06A	Z8Z07A	
Functions	Print, Copy, Scan (fax and wireless optional)		
Print			
Duplex print options	Automatic (standard) Black (A4, normal): Up to 25 ppm; Black (letter, normal): Up to 25 ppm; Black (A3, normal): Up to 12 ppr	m Diack (sablaid, narmal). Up to 25 page Diack (A4, duplay). Up to 10 jpm: Diack (latter, duplay). Up to	
Print speed <sup>7</sup>	ipm; Black (A3, duplex): Up to 9 ipm; Black (tabloid, duplex): Up to 9 ipm	in, black (labioid, normal): op to 25 ppin, black (M4, uuplex): op to 18 ipin, black (letter, uuplex): op to	
First page out <sup>3</sup>	Back (44, ready): As fast as 8.9 sec; Black (44, sleep): As fast as 23 sec; Black (letter, ready): As fast as 23 sec;		
Print technology	Laser		
Print resolution	Black (best): Up to 1200 x 1200 dpi reduced speed; Black (normal): Up to 600 x 600 dpi		
Print cartridges number	1 (1 black cartridge)		
Standard print languages	HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible		
Printer management	Printer Administrator Resource Kit for HP Universal Print Driver (UPD Active Directory Administrator Template Managed Printing Administration, PRNCON.EXE, HPPRLOG, Migrate-Server-Tools, UpdateNow, Remove Plug a Pro Proxy Agent); HP JerkAvantae Security Manager		
Scan	······································	· · · · · · · · · · · · · · · · · · ·	
Scan technology	Type: Flatbed, ADF; Technology: Flatbed; ADF		
Scan speed <sup>9</sup>	Normal, A4: Up to 80 ppm/160 ipm (b&w), up to 80 ppm/160 ipm (color)	Normal, A4: Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color)	
Scan resolution	Enhanced: Up to 600 × 600 dpi; Hardware: Up to 600 × 600 dpi		
Digital sending starndard features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to sFTP; '		
	Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; A Flatbed: 297 x 432 mm; ADF scan size: 297 x 432 mm	auto Straighten; Auto Crop To Page	
Scan size	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Op	on Extensibility Distform (OVD) applications	
Scan input modes	Front panet applications: copy, E-mail, Fax, save to Network Fotder, save to Device Memory, op Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG,	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RT	
Scan file format	TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	Digital Serio. Pur, Hi-Complession Pur, JPCS, IFF, MIFF, APS, PUP/N, TEAT OCCR, Onicode TEAT OCKR, (OCR), Searchable PDF (OCR), Searchable PDF (ACR), HTML (OCR), CSV (OCR), Scan to easy access USB: PI JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), ARTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	
Сору			
Copy smart software features	Better remote diagnosis and repair; Higher first time fix rates; Full toner; LLC utilization; Capture un-billed page designed for fewer LLC replacements and faster repairs.	ges from reconnected network devices, personal printers; On-site access to service training; A3 Laser Jets are	
Copy speed	Black (A4, normal): Up to 25 cpm; Black (letter, normal): Up to 25 cpm; Black Duplex (A4): Up to 18 cpm;	: Black (letter. duplex): Up to 18 cpm	
First copy out	Black (A4, normal): Up to 25 cpm; Black (letter, normal): Up to 25 cpm; Black Upplex (A4): Up to 18 cpm; Black (letter, duplex): Up to 18 cpm Black (A4): As fast as 7.9 sec; Black (A4, sleep): As fast as 21.5 sec; Black (letter): As fast as 8.0 sec; Black (letter, sleep): As fast as 21.5 sec		
Copy resolution	Black (text and graphics) to to 600 coo dpi		
Max. number of copies	Up to 999 copies		
Copier resize	25 to 400%		
Copier settings	Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collation; booklet; ID Scan; job build; job Storage; watermark; stamps; book mode scans; erase edges; automatically detect color/mono; image Preview		
Fax	22.6 Jubre		
Fax speed	33.6 kbps		
Fax resolution	Up to 300 x 300 dpi (400 x 400 dpi for received faxes only) Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Junk barrier supported: Yes; Maximum speed		
Fax features	dialing numbers: Up to 1000 numbers (each with 210 destinations); PC interface supported: Yes; Fax poll		
Fax memory	Fax memory (A4): Up to 500 pages; Fax memory (letter): Up to 500 pages		
Connectivity			
Standard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware	e Integration Pocket; 1 Fax modem port	
Mobile printing capability <sup>4</sup>	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP	P over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication;	
	Support for WJA-10 IPsec Configuration using IPsec Plug-in Standard (built-in Gigabit 10/100/1000T Ethernet)		
Network ready Wireless capability	No wireless capabilities standard. There are optional accessories (common to all current Jedi products) that s	support wireless. These are listed in the connectivity section, above	
Network Capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)		
Memory	Standard: 6 GB; Maximum: 6 GB	Standard: 7 GB; Maximum: 7 GB	
Hard Disk	One 320 GB Standard, embedded HP High-Performance Secure Hard Disk; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead.	Two 320 GB Standard, embedded HP High-Performance Secure Hard Disk, Total 640 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead.	
Processor speed	1.2 GHz		
Duty cycle (monthly)	Up to 300,000 pages; Recommended monthly page volume: Up to 50,000 pages		
Paper handling			
Input	100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 100 sheet ADF; Optional 2000		
2.4.4	sheet tray 500 sheet face-down output bin	sheet tray	
Output	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, Mid-Wei	inht 06 110g Hogw 111 120g HD Matte 150g Evtra Hogw 121 175g HD Matte 200g Cardstock 176 220	
Media type	Labels, Letterhead, Envelope, Preprinted, Prepunched, Colored	igit 30-110g, heavy 111-130g, he matte 130g, Exita heavy 131-173g, he matte 200g, calostock 170-22c	
Media weight	Tray 1: 60 to 175 g/m²; Tray 2, 3: 60 to 220 g/m²		
Media sizes custom	Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm	to 297 x 432 mm	
Dimensions (W x D x H)	566 x 724.3 x 829 mm 585 x 775.9 x 877.5 mm (23 x 30.5 x 34.5 in)		
Weight	68.13 kg		
What's in the box <sup>1</sup>	Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers (DOES NOT INLCLUDE TONER)		
Warranty features	90 day parts only. Extended Warranty and support options vary by product, country and local legal requirements	ents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you	
Systems	region.		
Compatible operating systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linus Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows XP SP3 32-bit editions (Hore, RP, or, et.).		
Minimum system requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com		
Security management	Kit 2: Ga available haf u lask space; Os haruware requirements see microson.com     Maci: 1:36 Bavailable haf drive space; Horner; OS hardware requirements see Apple.com for more info     Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication;		
Fonts and Typefaces	Support for WLA-10 Pise Configuration using Pise Plug-in 84 scalable TrueType fonts		
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard	
	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	integration riseket, Exterided Neyboard	
Display			
		z (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%)	
Power	Power supply type: Internal (Built-in) power supply: Power supply required: Input voltage: 110 to 127Vac HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS		
Power	Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 110 to 127Vac HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Acoustic power emissions: 6.5 B(A), printing mono simplex, A4 at 25 ppm, Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions bystander (active, printing): 49 dB(A), printing mono	Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals Acoustic power emissions: 6.5 B(A), printing mono simplex, A4 at 25 ppm; Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions bystander (active, printing): 50 dB(A), printing mono	
Power Software included Acoustics	Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 110 to 127Vac HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Acoustic power emissions: 6.5 B(A), printing mono simplex, A4 at 25 ppm; Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions bystander (active, printing): 49 dB(A), printing mono simplex, A4 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 49 dB(A), printing mono	Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals <b>Acoustic power emissions:</b> 6.5 B(A), printing mono simplex, A4 at 25 ppm; <b>Acoustic power emissions</b> (ready): Inaudible: <b>Acoustic pressure emissions bystander (rative, printing):</b> 50 dB(A), printing mono simplex, A4 at 25 ppm; <b>Acoustic pressure emissions bystander (ready):</b> Inaudible	
Power Software included Acoustics	Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 110 to 127Vac HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Acoustic power emissions: 6.5 B(A), printing mono simplex, A4 at 25 ppm; Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions bystander (active, printing): 49 dB(A), printing mono simplex, A4 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 49 dB(A), printing mono simplex, A4 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 49 dB(A), printing mono simplex, A4 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 40 dB(A), printing mono simplex, A6 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 40 dB(A), printing mono simplex, A6 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 40 dB(A), printing mono simplex, A6 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 40 dB(A), printing mono simplex, A6 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 40 dB(A), printing mono simplex, A6 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 40 dB(A), printing mono simplex, A6 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 40 dB(A), printing mono simplex, A6 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 40 dB(A), printing mono simplex, A6 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 40 dB(A), printing mono simplex, A6 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 40 dB(A), printing mono simplex, A6 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 40 dB(A), printing mono simplex, A6 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 40 dB(A), printing mono simplex, A6 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 40 dB(A), printing mono simplex, A6 at 25 ppm; Acoustic pressure emissions bystan	Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals <b>Acoustic power emissions:</b> 6.5 B(A), printing mono simplex, A4 at 25 ppm; <b>Acoustic power emissions</b> (ready): Inaudible: <b>Acoustic pressure emissions bystander (active, printing):</b> 50 dB(A), printing mono simplex, A4 at 25 ppm; <b>Acoustic pressure emissions bystander (ready):</b> Inaudible	
Power Software included Acoustics Environmental ranges	Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 110 to 127Vac HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Acoustic power emissions: 6.5 B(A), printing mono simplex, A4 at 25 ppm; Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions bystander (active, printing): 49 dB(A), printing mono simplex, A4 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 49 dB(A), printing mono	SWelcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals Acoustic power emissions: 6.5 B(A), printing mono simplex, A4 at 25 ppm; Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions bystander (active, printing): 50 dB(A), printing mono simplex, A4 at 25 ppm; Acoustic pressure emissions bystander (ready): Inaudible rating humidity range: 10 to 80% RH; Operating humidity range: 20 to 80% RH; Recommended operati	
Software included	Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 110 to 127Vac           HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS           Acoustic power emissions: 6.5 B(A), printing mono simplex, A4 at 25 ppm; Acoustic power emissions isons bystander (active, printing): 49 dB(A), printing mono simplex, A4 at 25 ppm; Acoustic pressure emissions bystander (active, printing): 49 dB(A), printing mono simplex, A4 at 25 ppm; Acoustic pressure emissions bystander (ready): Inaudible           Operating temperature range: 15 to 30%C; Recommended operating temperature: 15 to 30%C; Non-oper humidity range: 2018 a0% RH           IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A1:2009 +A1:2010 +A12:2011 62479:2010           EN 62471-1:2008 /EC 62471-1:2006; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certifica	Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals <b>Acoustic power emissions:</b> 6.5 B(A), printing mono simplex, A4 at 25 ppm; <b>Acoustic power emissions</b> <b>irready:</b> Inaudible: <b>Acoustic pressure emissions bystander (rative, printing):</b> 50 dB(A), printing mono simplex, A4 at 25 ppm; <b>Acoustic pressure emissions bystander (raedy):</b> Inaudible <b>rating humidity range:</b> 10 to 80% RH; <b>Operating humidity range:</b> 20 to 80% RH; <b>Recommended operati</b> +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC ate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA (22.2 No. 60950-1-07 2nd Ed.	
Power Software included Acoustics Environmental ranges	Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 110 to 127Vac           HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS           Acoustic power emissions: 6.5 B(A), printing mono simplex, A4 at 25 ppm; Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions bystander (ready): Inaudible; A4 dt 25 ppm; Acoustic pressure emissions bystander (ready): Inaudible           Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Non-oper humidity range: 20 to 80% RH           IEC 60950-1:2009 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 62479:2010	Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals <b>Acoustic power emissions:</b> 6.5 Pi(A), printing mono simplex, Ad at 25 ppm; <b>Acoustic power emissions</b> <b>(ready):</b> Inaudible; <b>Acoustic pressure emissions bystander (ready):</b> naudible; <b>acoustic power emissions:</b> 9.5 Pi(A), printing mono simplex, Ad at 25 ppm; <b>Acoustic pressure emissions bystander (ready):</b> naudible; <b>rating humidity range:</b> 10 to 80% RH; <b>Operating humidity range:</b> 20 to 80% RH; <b>Recommended operati</b> +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC ate (Germany, Europe); UL/CUL Listed and UC CoC (US/Canada); CAN/CSA C22, 2 No. 60950-1-07 2 nd Ed. ant to Laser notice No. 50, Dated June 24, 2007. Other safety approvals as required by individual countries	

#### Footnotes

<sup>1</sup> Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/Printersecurityclaims <sup>2</sup> Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hpconnected.com

<sup>3</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>4</sup> Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity <sup>5</sup> Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

#### **Product walkaround disclaimers**

<sup>1</sup> The 250-sheet ADF is included on the Flow MFP E72525z only. The MFP E72525dn has a 100-sheet ADF.

<sup>2</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase <sup>3</sup> An administrator must enable the easy-access USB port before use.

<sup>4</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>5</sup> Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

#### **Technical specifications disclaimers**

<sup>1</sup> No, please purchase USB cable separately (EMEA, Americas; AP) (Service Technician must install units)

<sup>2</sup> Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17

<sup>3</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>4</sup> Optional Wireless

volution whereas billet and wher

<sup>6</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. <sup>7</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software

<sup>7</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.np.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
<sup>8</sup> Average color composite black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see

http://ww.hp.com/go/teanaboutsupplies

<sup>9</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

#### To learn more, visit hp.com

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

